

Product Title / Range:

Ardara Porcelain Paving
1200 x 600 x 20mm
Domestic

T 0370 411 2233
F
E advisory.services@marshalls.co.uk
Print Date 27/01/2022
Data Sheet No 1,834

Application

Suitability Domestic use only

Description

Origin Italy

Base material Clay

CE Declaration of Performance www.marshalls.co.uk/dop

Governing standards All data where relevant to be established in accordance with BS EN 14411 : 2016

Manufacturing process Moulded & pressed porcelain tile

Product type Solid unit with imprinted surface

Further Information

Cleaning & Maintenance Available on request

Weathering Due to the nature of the product scratch marks may appear on the surface during transportation and handling. If such marks appear they will weather away due to the through colour nature of the product.
It should be appreciated that with all products weathering and site conditions can cause shade variation to appear across the surface of individual units. This does not in any way affect the performance of the units and any such variation will diminish over a period of time as the product matures.

Product Evolution The evolution of new product design is continuous and information is subject to change without notice. Customers should check with the supplier to ensure that they have the latest details
Marshalls reserve the right to amend the technical information as deemed necessary and in accordance with the relevant national and international standards without notice

Website www.marshalls.co.uk/gardens-and-driveways

Contact Us The information should be read in conjunction with the Marshalls Gardens & Driveways Brochure
For technical information on the design, specification and construction when utilising the product, contact Group Technical Services Department on 0370 411 2233

Date of issue January 2021

Product Title / Range:

Ardara Porcelain Paving
1200 x 600 x 20mm
Domestic

T 0370 411 2233
F
E advisory.services@marshalls.co.uk
Print Date 27/01/2022
Data Sheet No 1,834

Issue Number Issue 1

Physical Properties

Nominal Dimensions 1200 x 600 x 20mm

Work Dimensions 1195 x 595 x 20mm

Tolerances on Work Dimensions Length ± 2 mm, width ± 2 mm, thickness ± 0.5 mm

Durability (Freeze-thaw) Frost resistant - Pass

Material Density 2300 kg/m³ (typically)

Slip/Skid Resistance R11

Breaking Load ≥ 12000 N

Transverse/Flexural Split/Breaking ≥ 47 N/mm²

Water Absorption $\leq 0.2\%$

Tactility NPD

Release of Dangerous Substances Lead NPD
Cadmium NPD

Site Works

Installation Available on request

Keep all units dry before laying & protect incomplete workings during adverse weather or freezing conditions

Specification

Colour Ash
Grey

Approx unit weight 30 kg

Reaction to fire Class A1 - without testing (see decision 96/603/EC, as amended)



Marshalls

Product Data Sheet

Landscape House
Premier Way
Lowfields Business Park
Elland, Halifax
HX5 9HT

Product Title / Range:

Ardara Porcelain Paving
1200 x 600 x 20mm
Domestic

T 0370 411 2233
F
E advisory.services@marshalls.co.uk
Print Date 27/01/2022
Data Sheet No 1,834

Supply

Av. pack size 21.6 m²

Av. pack weight 1000 kg

No. units per pack 30 no

Packaging All packs are shrinkwrapped onto pallets for fork off-load or crane off-load if necessary